

**TRACE ELEMENTS AND PAHs SURVEY IN IMPORTED  
AND LOCAL *Camellia sinensis* COMMERCIALY SOLD IN  
NIGERIA**

**BY**

**FRED-AHMADU, OMOWUNMI HANNAH**

**(Matric No: 14PCC00651)**

**B.Sc. CHEMISTRY (UNILAG)**

**A THESIS SUBMITTED TO THE DEPARTMENT OF CHEMISTRY,  
COLLEGE OF SCIENCE AND TECHNOLOGY, IN PARTIAL FULFILMENT OF  
THE REQUIREMENT FOR THE AWARD OF THE DEGREE OF MASTER OF  
SCIENCE IN CHEMISTRY COVENANT UNIVERSITY, OTA, NIGERIA.**

**JUNE, 2016**

## CERTIFICATION

This is to certify that this project was carried out by FRED-AHMADU, Omowunmi Hannah (Matric No. 14PCC00651) under the supervision of Dr. N.U. Benson. The report has been read, approved and accepted as meeting the partial fulfilment for the award of the degree of Master of Science in Chemistry of the Covenant University, Ota, Nigeria.

Dr. Nsikak.U. Benson

Supervisor

.....

Signature & Date

Prof. Kolawole.O. Ajanaku

Head of Department

.....

Signature & Date

Prof. I.Adewale. Bello

External Examiner

.....

Signature & Date

Prof. Nicholas Omoregbe

Dean, College of Science and Technology

.....

Signature & Date

## DEDICATION

To God Almighty, my Sufficiency and my all in all. Also dedicated to the memory of my late father, Apostle Ayodele Oki.

## **DECLARATION**

I, FRED-AHMADU Omowunmi Hannah, hereby declare that this project report is based on the study undertaken by me in the Department of Chemistry, College of Science and Technology, Covenant University, under the supervision of Dr. N.U. Benson. This project report has not been submitted anywhere else for a degree award. The ideas and reviews are products of the research conducted by me. All sources of data and scholarly information of other researchers have been duly acknowledged.

FRED-AHMADU, Omowunmi Hannah

.....

Signature & Date

## ACKNOWLEDGEMENT

I give all thanks and praises to God Almighty who has done all things well and for being the Alpha and the Omega of this work. I appreciate the Chancellor of Covenant University, Dr David Oyedepo and the Board of Regents of Covenant University for running with such outstanding vision. I also appreciate the University management for their doggedness and commitment to excellence on all spheres.

A very special appreciation goes to my wonderful supervisor, Dr N.U. Benson for his guidance and uncommon commitment throughout the course of the M.Sc. programme and in writing this dissertation. I am truly blessed to have worked with him. My warm appreciation goes to the HOD, Department of Chemistry, Prof. K.O. Ajanaku for being a friend and mentor. To all faculty and staff of the Department of Chemistry, your warmth and support are highly valued.

I sincerely appreciate the assistance of Mr Razaq Oyedeji, Ladipo Ijaduola and Chioma Abiazem of Federal Polytechnic, Ilaro. I thank all my colleagues and friends in the department, especially Mr Emmanuel Adedapo. I appreciate Dr. (Mrs) Omolola Omotosho, Mrs Ayara-Williams and Mrs C.O. Ajanaku for their moral and spiritual support. I thank my siblings and my mum, Mrs Doris Oki for their love and support.

A final but definitely not the least appreciation goes to my dear husband, Dr. Frederick Olusola Ahmadu, for his unending love and unflinching support and to my children Olamide, Oluwafemi, Ifeoluwa and Oluwagbeminiyi for their love and understanding. God bless you all.

## LIST OF ABBREVIATIONS

ANT – Anthracene

BaA - Benzo[a]anthracene

BaP - Benzo[a]pyrene

BbF - Benzo[b]fluoranthene

BeP - Benzo[e]pyrene

BghiP - Benzo[g,h,i]perylene

BjF - Benzo[j]fluoranthene

BkF - Benzo[k]fluoranthene

CHY - Chrysene

DahA - Dibenzo[a,h]anthracene

DBP - Dibenzo[a]pyrene

FLR - Fluorene

FLA - Fluoranthene

IP - Indo[123-cd]pyrene

NAP - Naphthalene

PHN - Phenanthrene

PYR - Pyrene

USEPA - United States Environmental Protection Agency

## ABSTRACT

The influx of various brands of imported and locally produced *Camellia sinensis* into the Nigerian market coupled with weak legislation and growing concerns about contaminants such as polycyclic aromatic hydrocarbons (PAHs) and trace metals worldwide has heightened. In this study, twenty three (23) samples of local and imported branded *Camellia sinensis* commercially sold in Nigeria were randomly purchased from local retail outlets. Extraction of PAHs was carried out using GC grade n-hexane. A four-stage sequential extraction procedure recommended by the Community Bureau of Reference (BCR) and Aqua regia acid cocktail were used to study the metal speciation and pseudo-total metals, respectively. Analyses of PAHs and trace metals were performed using Agilent 7890A Gas Chromatograph equipped with Flame Ionisation Detector with an autosampler and Microwave Plasma Atomic Emission Spectrometer (MP-AES), respectively. PAHs were detected in all samples with concentrations (mg/kg) ranging between 1.63 to 73.53, 4.71 to 79.61 and 12.52 to 26.89 for green, herbal and black teas, respectively. Detected PAHs were dominated by 4-5 membered ring structures and source apportionment analysis indicated biomass burning and vehicular emission as the major sources of PAHs in the investigated tea samples. The aggregate measure of carcinogenicity and mutagenicity (BaP-TEQ and BaP-MEQ) values show a weak positive correlation and BaP-TEQ values were generally higher than BaP-MEQ with two herbal tea samples recording the highest values. The estimated lifetime cancer risk index due to PAHs (for children and adults in Nigeria) indicated that all samples investigated except two green tea samples exceeded the USEPA allowable limits ( $10^{-6}$  to  $10^{-4}$  mg/kg-day). Trace metals were present in all *Camellia sinensis* samples. The total concentration sequence for the tea samples were different from that of the speciation, indicating the importance the chemical forms in which the metals exist within a sample matrix, a pointer to their mobility and toxicity. Mn was most accumulated and bioavailable.

## TABLE OF CONTENTS

Title Page.....	i
Certification.....	ii
Dedication.....	iii
Declaration.....	iv
Acknowledgements.....	v
List of Abbreviations.....	vi
Abstract.....	vii
Table of Contents.....	viii
List of Tables.....	xii
List of Figures.....	xiv

### **Chapter One: Introduction**

1.1 Background of study.....	1
1.2 Statement of problem.....	2
1.3 Research .....	2
1.4 Justification of study.....	2
1.5 Aim of study.....	3
1.6 Objectives.....	3

### **Chapter Two: Literature Review**

2.1 Introduction.....	5
2.2 Active substances in <i>Camellia sinensis</i> .....	6
2.3 Types of tea.....	7
2.4 Additives and blends in tea.....	8
2.5 Polycyclic Aromatic Hydrocarbons (PAHs).....	8



2.5.1 Chemical Characteristics.....	9
2.6 PAH Diagnostic Ratios.....	13
2.7 Health Effects.....	13
2.7.1 Carcinogenic effects.....	13
2.7.2 Respiratory effects.....	14
2.7.3 Immunological effects.....	14
2.8 Routes of Exposure of PAHs.....	14
2.8.1 Air.....	15
2.8.2 Water.....	15
2.8.3 Soil and sediment.....	15
2.8.4 Food` .....	16
2.9 Fate of PAHs in the environment.....	16
2.10 Fate of PAHs in the body.....	17
2.11 Trace elements.....	18

### **Chapter Three: Materials and Methods**

3.1 Chemicals/ Reagents.....	20
3.1.1 Analytical standard of PAHs.....	20
3.2 Apparatus.....	21
3.3 Equipment.....	21
3.4 Sample Collection.....	22
3.5 Methodology.....	24
3.5.1 Preparation of external standard for GC analysis.....	24
3.5.2 Extraction method for PAHs.....	25
3.5.3 Clean up and preparation of extracts for chromatographic analysis.....	25

3.5.4 Total elements concentration.....	25
3.5.5 Preparation of reagents for sequential extraction.....	26
3.5.6 Preparation of 0.1 mol/L acetic acid.....	27
3.5.7 Preparation of 0.1 mol/L hydroxyl ammonium chloride.....	27
3.5.8 Preparation of 0.1 mol/L ammonium acetate.....	28
3.5.9 Sequential extraction of trace metals.....	28
3.6 Risk Assessment.....	29
3.6.1 Carcinogenic and Mutagenic Risk assessment calculation.....	30
3.6.2 Risk Assessment Code.....	30
<b>Chapter Four: Results</b>	
<b>Chapter Five: Discussion</b>	
5.1 Levels of Polycyclic Aromatic Hydrocarbons (PAHs).....	50
5.1.1 Green Tea.....	50
5.1.2 Herbal Tea.....	51
5.1.3 Black Tea.....	51
5.2 Mass Distribution Percentage.....	52
5.3 PAH Diagnostic Ratios.....	52
5.4 Carcinogenic and Mutagenic risk assessment.....	53
5.5 Comparison of results within the present study and similar studies.....	53
5.6 Cancer Risk Index.....	54
5.7 Metal concentrations from sequential extraction of samples.....	54
5.7.1 Green Tea.....	54
5.7.2 Herbal Tea.....	55
5.7.3 Black Tea.....	56
5.8 Pseudo total concentration of trace metals.....	58

5.9 Risk Assessment Code.....	59
5.9.1 Green Tea.....	60
5.9.2 Herbal Tea.....	60
5.9.3 Black Tea.....	61

## **Chapter Six: Conclusion and Recommendations**

6.1 Conclusion.....	62
6.2 Recommendations.....	63
References.....	64
Appendices.....	74

## LIST OF TABLES

Table 2.1 Name, CAS registry no, TEF and structures of USEPA priority PAHs.....	11
Table 2.2 PAH Diagnostic Ratios.....	13
Table 3.1 List of chemicals/ reagents and their manufacturers.....	20
Table 3.2 General information about samples purchased.....	23
Table 4.1 Calculated PAH Diagnostic ratios.....	32
Table 4.2 Calculated BaP-TEQ and BaP-MEQ.....	33
Table 4.3 Mass Distribution percentages of PAHs in samples.....	34
Table 4.4 Concentrations of PAHs in branded Green Tea.....	35
Table 4.5 Concentrations of PAHs in Herbal and Black Tea.....	36
Table 4.6 Comparison of results generated with similar studies.....	37
Table 4.7 Estimate cancer exposure risk index for PAHs in samples.....	38
Table 4.8a Mean concentrations and RSD of metals from sequential extraction of green tea samples.....	39
Table 4.8b Mean concentrations and RSD of metals from sequential extraction of herbal and black tea samples.....	40
Table 4.9 Pseudo total concentration of metals and SD in green, herbal and black tea.....	41
Table 4.10 Classification of RAC and Toxic Index.....	42

Table 4.11a RAC% for green tea samples .....	43
Table 4.11b RAC% for herbal and black tea samples.....	44

## LIST OF FIGURES

Figure 2.1 Active substances in <i>Camellia sinensis</i> .....	6
Figure 4.1a Per cent speciation contributions of trace metals in green tea samples.....	45
Figure 4.1b Per cent speciation contributions of trace metals in green tea samples .....	46
Figure 4.2a Per cent speciation contributions of trace metals in herbal tea samples .....	47
Figure 4.2b Per cent speciation contributions of trace metals in herbal tea samples .....	48
Figure 4.3 Per cent speciation contributions of trace metals in black tea samples .....	49